



600x1200mm (Glazed Vitrified Tiles








The Vita 2.0 Collection carries forward the legacy of the Vita Collection with impressions rich as time itself, yet contemporary.


# EXPERIENCE SOMETHING TACTILE & HONEST

The Vita 2.0 Collection is an effort to bring surfaces that are a physical archive of beautiful impressions carved by nature, humans, settlements, and more. The collection is inspired by the ever-changing landscapes, terrains, and places around us, as well as the memories they hold of wind, erosion, and the people who lived there, and what happened to them.


These rich impressions are translated into the surfaces of the collection, bringing you honest tactile experiences of time wrapped in elegance to decorate your spaces, to walk on, and to feel the shifts beneath your feet and fingertips.







SURFACE: TEXTURED MATT



The Vita 2.0 Collection is curated across two structured surfaces to better complement the collection's accents. Textured Matt, a structured offering, strikes a refined balance between softness and strength, while the Rustic Matt features a richly detailed surface that captures the organic feel of nature's raw beauty. Both surfaces bring depth and character to spaces.



## **VITA 2.0**

The Vita 2.0 Collection by Colortile is a sophisticated and inventive curation of versatile colors, size, and surfaces. Drawing inspiration from natural terrains, each tile embodies the warmth, the texture, and depth of the earth, a perfect harmony for modern interiors and timeless architecture alike.

### COLORS

A palette of natureinspired, subtle hues, offering an exquisite balance of earthy warmth and contemporary elegance.

SIZE

600x1200mm 60x120cm

SURFACES

**Textured Matt Rustic Matt** 

The collection's multiple sizes and surfaces facilitate a unique approach to contemporary spatial design.

#### RECOMMENDED SPACES



Hall & Corridor

Super Market & Mall



Commercial Building



Hotel, Café & Restaurant







School & College



Hospital



Spa & Wellness Centre



Airport

#### PRODUCT HIGHLIGHTS



Frost



Easy to Clean



Impact Resistance





Fire Resistance

Low Water

Absorption



Chemical Resistance




Thermal Shock Resistance




Stability



Crazing Resistance



INTRINSIC & INTRICATE PALETTE





The surfaces brings an air of classical rhythm to contemporary design. Their flowing contours create a harmonious dance of shadow and light.

# SOFTLY SCULPTED AND TIMELESSLY ELEGANT


Inspired by architectural columns and natural erosion, the surfaces reinterpret traditional grooves into a modern expression of refinement. Each ridge is a gentle statement of depth, giving walls and floors a tactile grace that invites touch. The surfaces play beautifully with light, subtly shifting in tone throughout the day, creating a living texture that enhances modern interiors with timeless charm.














Wall\_
Neo Emperador Brown Decor & Neo Emperador Brown
Surfaces\_ Textured Matt, Rustic Matt

#### Neo Emperador Brown Decor





Size

Surface

Textured Matt





#### Neo Emperador Brown





Size

Surface

Rustic Matt







Floor\_ Neo Emperador Greige

Surface\_Rustic Matt

Wall\_ Neo Emperador Greige Decor







Wall\_ Neo Emperador Greige Decor

#### Neo Emperador Greige Decor





Size

Surface

**Textured Matt** 





#### Neo Emperador Greige






Size

Surface

Rustic Matt





BEAUTY SHOP

Floor\_ Neo Emperador Crema

Wall\_ Neo Emperador Crema Decor

Surface\_Rustic Matt







Wall\_ Neo Emperador Crema Decor

#### Neo Emperador Crema Decor





Size

Surface

**Textured Matt** 





#### Neo Emperador Crema






Size

Surface

Rustic Matt










OGGIA


Floor\_ Neo Emperador Gris

Wall\_ Neo Emperador Gris Decor Surface\_ Textured Matt

Surface\_ Rustic Matt

Click Here





Wall\_ Neo Emperador Gris Decor

#### Neo Emperador Gris Decor





Size

Surface

**Textured Matt** 





#### Neo Emperador Gris





Size

Surface

Rustic Matt



# SHOWER ROOM




Floor\_ Neo Emperador Bianco

Surfaces\_ Textured Matt, Rustic Matt

Surface\_Rustic Matt

Wall\_ Neo Emperador Bianco Decor & Neo Emperador Bianco







Wall\_ Neo Emperador Bianco Decor

#### Neo Emperador Bianco Decor





Size

Surface

**Textured Matt** 





#### Neo Emperador Bianco





Size

Surface

Rustic Matt



Linear and refined, the soft impressions evoke movement, adding life and continuity to the spaces they inhabit.

# EXPERIENCE THE ORGANIC RHYTHM OF NATURE'S PATHWAYS

The surfaces reflect the traces left by wind, water, and time, a design shaped by motion and memory. their continuous linear design adds direction and fluidity, guiding the eye through space while maintaining balance and calm. The result is surfaces that feel effortlessly organic, transforming contemporary interiors with subtle depth and flowing sophistication.

Pulse Snowflake Decor








Pulse Snowflake




Pulse Gris



Opus








LIVING AREA


Pulse Snowflake

Pulse Snowflake Decor & Pulse Snowflake

Surface\_ Textured Matt







Wall\_ Pulse Snowflake Decor & Pulse Snowflake

#### Pulse Snowflake Decor





Size

Surface

**Textured Matt** 





#### Pulse Snowflake





Size

Surface

**Textured Matt** 



Floor\_ Pulse Gris Wall\_ Pulse Gris Decor

Surface\_Textured Matt


Surface\_ Textured Matt




Click for the Index









Wall\_ Pulse Gris Decor

#### Pulse Gris Decor





Size

Surface

**Textured Matt** 





#### Pulse Gris





Size

Surface

**Textured Matt** 






Floor\_ Opus

Wall\_ Opus Decor

Surface\_Textured Matt







Wall\_ Opus Decor

#### Opus Decor





Size

Surface

**Textured Matt** 





#### Opus





Size

Surface


**Textured Matt** 




The surfaces tell a story of time layered upon the earth's surface, a quiet record of nature's artistry. Their delicate textures evoke warmth, age, and authenticity in every detail.

# A QUIET AND LAYERED RECORD OF NATURE'S ARTISTRY

Drawing inspiration from sedimentary formations and wind-carved terrain, The surfaces embody the poetry of layered landscapes. The surfaces' fine lines and intricate textures lend an understated richness, perfect for interiors that celebrate material honesty and tactile depth. The pattern feels naturally evolved, offering a grounded elegance that complements both modern and timeless architecture.










**DINING AREA** 

Floor\_ Flow Umber

Wall\_ Flow Umber Decor

Surface\_Textured Matt








Floor\_ Flow Umber Wall\_ Flow Umber Decor

Surface\_ Textured Matt

#### Flow Umber Decor





Size

Surface

**Textured Matt** 





Flow Umber





Size

Surface

**Textured Matt** 



600x1200mm 6 Random Faces




SWIMMING POOL

Floor\_ Flow Camel Wall\_ Flow Camel Decor

Surface\_ Textured Matt







Wall\_ Flow Camel Decor

Flow Camel Decor





Size

Surface

**Textured Matt** 





Flow Camel






Size


Surface

**Textured Matt** 



600x1200mm 6 Random Faces








Floor\_ Flow Silver

Flow Silver Decor

Surface\_Textured Matt







Floor\_ Flow Silver Wall\_ Flow Silver Decor

Surface\_ Textured Matt

Flow Silver Decor





Size

Surface

**Textured Matt** 





Flow Silver





Size

Surface

**Textured Matt** 



600x1200mm 6 Random Faces

# DRAWING ROOM



Floor\_ Chalkstone

Wall\_ Chalkstone Decor

Surface\_Textured Matt





### Chalkstone Decor

Surface\_ Textured Matt Size\_ 600x1200mm


A gentle yet remarkable stone-inspired texture, minimal, calm, and crafted for effortless elegance.



Floor\_ Chalkstone Wall\_ Chalkstone Decor

Surface\_ Textured Matt

#### Chalkstone Decor





Size

Surface


**Textured Matt** 





#### Chalkstone





Size

Surface

**Textured Matt** 




600x1200mm 6 Random Faces Strong and balanced, the surfaces add sculptural definition to contemporary design. Their pronounced structure enhances spatial rhythm.

## ARCHITECTURAL STATEMENT THAT IS BOTH BOLD & REFINED

The surfaces channel the beauty of form and order, bringing structured elegance to modern spaces. Each raised line accentuates light and shadow, highlighting the geometry of surfaces while maintaining a sense of tactility and warmth. Designed to harmonize with minimalist or textured interiors, the surfaces stand as a symbol of precision, depth, and timeless architectural grace.





	consuprate time.
- modimination	A COMPANIANT OF THE PARTY OF TH
	o contentante
and the state of t	
s production and second second second	and the control of th
no dia 1877 ny tanàna mandritry ny taona ara-daharanjarah	
	and the state of t
A STATE OF THE STA	The second of th
Tide Dawn Decor	
anticoporate a seconda posta	and the second s
and manager and a state of the	And the same of th
	ominimum — 7 % comminimum — 7 % comminim
	The state of the s
	annun anglumi
in a control of the c	o diamanda
	The state of the s
	A CONTRACTOR OF THE PROPERTY O
THE RESIDENCE OF THE PARTY OF T	at the second se
Tide Spring Decor	- One American Company of the Compan
The State of the S	
	A September 1991
and the second s	
	and the second s
	TO TO DESCRIPTION TO THE TOTAL PROPERTY OF T
	A CONTRACTOR OF THE PROPERTY O
Tido Crown Dio Dosson	
Tide Crema Pie Decor	




RECEPTION AREA

Floor\_ Tide Dawn

Surface\_ Textured Matt

Tide Dawn Decor








Wall\_ Tide Dawn Decor

Tide Dawn Decor





Size


Surface

**Textured Matt** 





Tide Dawn





Size

Surface

**Textured Matt** 



600x1200mm 8 Random Faces Floor\_ Tide Spring

Surface\_Textured Matt

Wall 1\_ Tide Spring Decor

Surface\_Textured Matt

Wall 2\_ Tide Spring Decor

Surface\_ Textured Matt



Click for the Index

## EN SUITE BATHROOM





### Tide Spring Decor

Surface\_ Textured Matt Size\_ 600x1200mm

Light, rejuvenating texture reminiscent of spring breezes gently swaying over the soil to craft renewed spaces.



Wall\_ Tide Spring Decor

Tide Spring Decor





Size

Surface

**Textured Matt** 





Tide Spring





Size

Surface

**Textured Matt** 



600x1200mm 8 Random Faces



Floor\_ Tide Crema Pie


Surface\_Textured Matt

Wall 1\_ Tide Crema Pie Decor

Surface\_Textured Matt

Wall 2\_ Tide Crema Pie








Wall 1\_ Tide Crema Pie Decor Wall 2\_ Tide Crema Pie

Surface\_ Textured Matt

#### Tide Crema Pie Decor





Size

Surface


**Textured Matt** 





Tide Crema Pie






Size


Surface


**Textured Matt** 



600x1200mm 8 Random Faces








Floor\_ Tide Smoke

Wall\_ Tide Smoke Decor

Surface\_Textured Matt









Floor\_ Tide Smoke Wall\_ Tide Smoke Decor

Surface\_ Textured Matt

Tide Smoke Decor





Size

Surface


**Textured Matt** 





Tide Smoke





Size

Surface

**Textured Matt** 



600x1200mm 8 Random Faces



Floor\_ Tide Smoothflow

Wall\_ Tide Smoothflow Decor

Surface\_ Textured Matt









Floor\_ Tide Smoothflow

Wall\_ Tide Smoothflow Decor

Surface\_ Textured Matt

#### Tide Smoothflow Decor





Size

Surface

**Textured Matt** 





#### Tide Smoothflow





Size

Surface

**Textured Matt** 





600x1200mm 8 Random Faces

### Installation

#### Step 1


Choose tiles that suit the room size and the style of your home. Smaller spaces are suited for bigger and pale-colored tiles to increase size and ventilation levels, but many kitchen and bathroom spaces have smaller tiles.






#### Step 3

Check that the surface is smooth and structurally sound before Begin tile fixing work and ensure the site has proper lighting and ventilation.




#### Step 2

Prioritize laying surface preparation through the proper soil layer compaction, subfloor leveling (PCC), completing brick and plasterwork, and waterproofing to protect your tiles from water seepage and long-term deterioration.




#### Step 4

Tiles should be set at right angles, and corners should not get bent. Prepare an adhesive (C2TE recommended >, 2x2 tile size) plaster in advance by mixing water and mortar in a 1:6 ratio – follow this proportion to prevent cement joints from shrinking. Also, maintain minimal joints between two tiles and wipe off excess material.



#### Step 5

Tiles should be placed equidistant to each other. Fill in joints with cement grout once installed.




#### Step 6

Post installation, clean the tiling area with a wet mop and sweep the area. Floors with newly installed tiles should remain untouched for at least a week after fixing.




#### Note:

 Conduct tile fixing work with proper supervision to prevent defects such as cracks, breaking, and de-bonding, which can later incur extra costs. Tiling expenses should be covered in one stage of your home building.



 Ensure that tiles are properly covered with fluted plastic sheets, plywood sheets, or P.O.P. during painting, electrical, or furniture work at the site to prevent any damage.



### Cleaning & Maintenance

Type Of Stain	Chemical Product	Example		
Grease	Alkaline - Solvent	Detergent		
Oil	Solvent	Ammonia, Baking Soda		
lnk	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover		
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic		
Lime	Acid	Descaling Reagent, Hydrochloric Acid		
Cement	Acid	Hydrochloric Acid		
Wine	Alkaline	Ammonia, Liquid Bleach		
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach		
Rubber	Solvent	Alcohol, Thinner		
Plaster	Acid	Hydrochloric Acid		
Candle Wax	Solvent	Alcohol, Thinner		
lodine	Oxidant	Liquid Bleach		
Blood	Oxidant	Liquid Bleach		
Ice Cream	Alkaline	Liquid Bleach		

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface. For most cases only a damp cloth is sufficient for cleaning. Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine. For highly aggressive cleaning caused by some common food and substances follow the table above.

#### Technical Specification of 600x1200mm

Colortile Quality Standards
Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bla (Eb 0.5%)

Taskaisal Frantissa		Test	Require	ements	Colortile Values			
	Technical Feature	Method	% mm		%	mm		
>	Length and Width		± 0.6%	± 2.0	± 0.20%	± 1.0		
ualit	Thickness	ickness ± 5.0% ± 0.5		± 4.00%	± 0.4			
o e	Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0		
urfa	Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2		
Dimensions and Surface Quality	Surface Flatness a) Centre curvature b) Edge curvature c) Warpage	UNI EN ISO 10545-2	± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.10% ± 0.10% ± 0.10%	± 1.0 ± 1.0 ± 1.0		
Dim	Surface Quality		A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		Compliant			
	Water Absorption	UNI EN ISO 10545-3	Eb≤ 0.5% Individual maximum : 0.6% (absorbed water mass)		E <sub>b</sub> ≤ 0.1% (absorbed water mass)			
S	Breaking Strength	LINILENI	Min. 1	Min. 1300 N		≥ 1700 N		
Physical Properties	Modulus of Rupture	UNI EN ISO 10545-4	Average minimum 35 N/mm² Individual minimum 32 N/mm²		≥ 37 N/mm²			
P.	Frost Resistance	UNI EN ISO 10545-12	Required		Compliant			
Physic	Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°c	UNI EN ISO 10545-8	Required		6 x 10 <sup>-6</sup> K <sup>-1</sup> max			
	Scratch Hardness (Mohs scale)	EN 101	Declared by the producer		ared by the producer 3 to 6 Depends on Finish			
	Crazing Resistance	UNI EN ISO 10545-11	Declared by the producer		Declared by the producer		4 Cycl	e Pass
S	Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3		5			
opertie	Resistance to Household Chemicals and Swimming Pool Salts		Minimum GB		G	A		
Chemical Properties	Resistance to Low Concentrations of Acids and Alkalis	UNI EN ISO 10545-13	To be re	eported	GLA			
Chei	Resistance to High Concentrations of Acids and Alkalis		To be reported		GHA			

### Technical Specification of 600x600mm

Colortile Quality Standards
Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bla (Eb 0.5%)

Table is all Factories		Test	Require	ements	Colortile Values	
	Technical Feature	Method	%	mm	%	mm
_	Length and Width		± 0.6%	± 2.0	± 0.20%	± 1.0
ualit	Thickness		± 5.0%	± 0.5	± 4.00%	± 0.4
ğ.	Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0
urfa	Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2
Dimensions and Surface Quality	Surface Flatness a) Centre curvature b) Edge curvature c) Warpage	UNI EN ISO 10545-2	± 0.5% ± 0.5% ± 0.5%	± 2.0 ± 2.0 ± 2.0	± 0.10% ± 0.10% ± 0.10%	± 0.6 ± 0.6 ± 0.6
Din	Surface Quality		A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		Compliant	
	Water Absorption	UNI EN ISO 10545-3	Eb≤ 0.5% Individual maximum : 0.6% (absorbed water mass)		Eb≤ 0.1% (absorbed water mass)	
S	Breaking Strength	LINILENI	Min. 1300 N		≥ 1700 N	
Physical Properties	Modulus of Rupture	UNI EN ISO 10545-4	Average minimum 35 N/mm² Individual minimum 32 N/mm²		≥ 37 N/mm²	
al Pr	Frost Resistance	UNI EN ISO 10545-12	Required		Compliant	
Physic	Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°c	UNI EN ISO 10545-8	Required		6 x 10 <sup>-6</sup>	K <sup>-1</sup> max
	Scratch Hardness (Mohs scale)	EN 101	Declared by the producer		3 to 6 Depends of	on Finish & Color
	Crazing Resistance	UNI EN ISO 10545-11	Declared by the producer		4 Cycl	e Pass
S	Resistance to Staining	UNI EN ISO 10545-14	Minimum	n Class 3	5	
Chemical Properties	Resistance to Household Chemicals and Swimming Pool Salts		Minimum GB		GA	
mical Pı	Resistance to Low Concentrations of Acids and Alkalis	UNI EN ISO 10545-13	To be reported		GLA	
Che	Resistance to High Concentrations of Acids and Alkalis		To be reported		GHA	

### Packing Details

### Standard Pallet Packing

Pallet Type	Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)	Box / Pallet	m² / Pallet	Pallet Size
А	600x1200mm	8.5mm (Approx)	2 pcs	1.44 Sq. Mtr.	29.30 kg	68	97.92 Sq. Mtr.	1100x1100mm
В	600x1200mm	8.5mm (Approx)	2 pcs	1.44 Sq. Mtr.	29.30 kg	26	37.44 Sq. Mtr.	675x1200mm
С	600x1200mm	8.5mm (Approx)	2 pcs	1.44 Sq. Mtr.	29.30 kg	29	41.76 Sq. Mtr.	750x1200mm

### Euro Pallet Packing

Pallet Type	Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)	Box / Pallet	m² / Pallet	Pallet Size
А	600x1200mm	8.5mm	2 pcs	1.44 Sq. Mtr.	29.30 kg	54	77.76 Sq. Mtr.	800x1200mm
В	600x1200mm	8.5mm	2 pcs	1.44 Sq. Mtr.	29.30 kg	30	43.20 Sq. Mtr.	800x1200mm

#### Packing Details

Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)
600x1200mm	8.5mm	2 pcs	1.44 Sq. Mtr.	29.30 kg





#### Color Granito Pvt. Ltd.

At. Ratavirda Village, Sartanpar Road, Tal. Wankaner - 363 621, Dist. Morbi, Guiarat, INDIA

Cell: +91 95120 08815

info@colortile.in | www.colortile.in

