



195x1200mm
GVT COLLECTION

colortile
ceramics & innovation

when,

**ceramic blends
with innovation,
innovation in
ceramic happens.**

We have specialisation in manufacturing high-quality VITRIFIED and WALL TILES for every possible Architectural, Residential and Commercial use.

Colortile is one of the leading manufacturers of GVT, PGVT and Ceramic Body Tiles in India. For over a decade now, Colortile has been innovating and manufacturing Floor and Wall Tiles with an aim to excel in the tile field and also to satisfy its ever-increasing client base.

We have installed a production capacity of over 16.75 million square meters per annum, spread over 3 manufacturing units at Morbi, Gujarat, India. Our factories are well-equipped with state-of-the-art technology and modernised laboratories to keep us ahead of the curve.


Mission

We manufacture wall and floor tiles that rank high on quality and aesthetic value irrespective of the place where they are applied. We are the first choice of residential, commercial and public buildings for indoor and outdoor applications. We forge a long-term partnership with all our clients by providing them excellent service. We keep our ears close to the ground to satisfy the needs of an evolving market.

Vision

Always putting the bar high and the dream to achieve them with all the dynamism in designs, we have invested in the latest technology to make COLORTILE a top-notch brand in the tile world. We, at COLORTILE family promise ourselves to grow, innovate and maintain the quality forever.

Inspiration



Myriad of products with stunning finishes
that leads to amazing creativity and
enhances the living .

Innovation



GVT

Inspired by the beauty of natural wood across the globe.

The Indian consumer is becoming more and more design & décor conscious, day by day. Today a home is beyond a necessity, it is also a reflection of one's status, personality & taste. Hence, the demand for premium quality vitrified tiles with innovative designs and perfect craftsmanship has increased by leaps and bounds. COLORTILE presents a

unique collection of wooden textured Glazed Vitrified Tiles to fulfill the ever increasing needs and expectations of Indian consumers. COLORTILE's innovative range of Glazed Vitrified Tiles has an extensive array of exclusive collection in the 195x1200mm size & it is available PAN India, through wide distribution network.

GVT



195x1200mm

- Use for Wall
- Use for Floor
- 4mm Spacer Recommended

Application Areas

- Residential
- Commercial Building
- Hotel, Restaurant & Cafe
- Gymnasium
- Hall & Corridor
- Mall & Super Market
- Hospital
- Airport
- School & College
- Industry
- Spa and Wellness Centres
- Religious Place

Technical Specification

- Long Durability
- Easy to Clean
- Impact Resistance
- Frost Resistance
- Low Water Absorption
- Dimensional Stability
- Hygienic Surface
- Fire Resistance
- Chemical Resistance
- Easy Installation
- Thermal Shock Resistance
- Cracking Resistance

colortile
ceramics & innovation

GVT

195x1200mm

With the classic touch of wood, Woodera is designed to decorate your space with elegance. The tiles from this series, with its perfect and innovative designs, make your space look lucid. These wood tiles are as firm as the roots of the tree. It gives you the feel of wilderness at home.



**Let wilderness
enhance your
space diligently**

Size



195x
1200mm

Finish

- RUSTIC CARVING




Vintage Crema

6 - R



FLOOR : Vintage Crema | Size - 195x1200mm | Finish - Rustic Carving



Size



195x
1200mm

Finish

- RUSTIC CARVING



Vintage Peanut

6 - R



Vintage Camel

6 - R



FLOOR : Vintage Camel | Size - 195x1200mm | Finish - Rustic Carving

Size



195x
1200mm

Finish

- RUSTIC CARVING



Vintage Dove

6 - R



Vintage Ash Grey

6 - R



WALL : Armani Bianco | Size - 600x600mm | Finish - Glossy

FLOOR : Vintage Dove | Size - 195x1200mm | Finish - Rustic Carving



Size



195x
1200mm



Oak Crema

6 - R

Finish

- RUSTIC CARVING

FLOOR : Oak Crema | Size - 195x1200mm | Finish - Rustic Carving

Size



195x
1200mm

Finish

- RUSTIC CARVING
- RUSTIC MATT



Wonder Tree Bark

12 - R




Wonder Tree Bark Decor

6 - R



WALL : Wonder Tree Bark Decor | Size - 195x1200mm | Finish - Rustic Carving

FLOOR : Wonder Tree Bark | Size - 195x1200mm | Finish - Rustic Matt



Size



195x
1200mm

Finish

- RUSTIC CARVING
- SPREAD SPARKLE



Vibes Camel

9 - R



Vibes Camel Decor

3 - R



FLOOR : Vibes Camel | Size - 195x1200mm | Finish - Spread Sparkle
Vibes Camel Decor | Size - 195x1200mm | Finish - Rustic Carving

Size



195x
1200mm

Finish

- RUSTIC CARVING
- SPREAD SPARKLE



Vibes Ochre

9 - R




Vibes Ochre Decor

3 - R



FLOOR : Vibes Ochre | Size - 195x1200mm | Finish - Spread Sparkle
Vibes Ochre Decor | Size - 195x1200mm | Finish - Rustic Carving



Size



195x
1200mm

Finish

- RUSTIC CARVING
- SPREAD SPARKLE



Vibes Brown

9 - R



Vibes Brown Decor

3 - R



WALL : Vibes Brown & Decor | Size - 195x1200mm | Finish - Rustic Carving, Spread Sparkle

FLOOR : Vibes Brown | Size - 195x1200mm | Finish - Spread Sparkle

Size



195x
1200mm

Finish

- RUSTIC CARVING
- SPREAD SPARKLE




Vibes Moka

9 - R



Vibes Moka Decor

3 - R



FLOOR : Vibes Moka | Size - 195x1200mm | Finish - Spread Sparkle
Vibes Moka Decor | Size - 195x1200mm | Finish - Rustic Carving



Size



195x
1200mm

Finish

- RUSTIC CARVING
- SPREAD SPARKLE



Historic Pearl

12 - R



Historic Camel

12 - R



Historic Camel Decor

6 - R



FLOOR : Historic Pearl | Size - 195x1200mm | Finish - Spread Sparkle
Historic Camel Decor | Size - 195x1200mm | Finish - Rustic Carving

Size



195x
1200mm

Finish

- RUSTIC CARVING
- SPREAD SPARKLE



Historic Rosata

12 - R



Historic Rosata Decor

6 - R



WALL : Historic Rosata & Decor | Size - 195x1200mm | Finish - Rustic Carving, Spread Sparkle

FLOOR : Historic Rosata & Decor | Size - 195x1200mm | Finish - Rustic Carving, Spread Sparkle



Size



195x
1200mm

Finish

- RUSTIC CARVING
- SPREAD SPARKLE



Historic Kiwi

12 - R



Historic Kiwi Decor

6 - R



FLOOR : Historic Kiwi | Size - 195x1200mm | Finish - Spread Sparkle
Historic Kiwi Decor | Size - 195x1200mm | Finish - Rustic Carving

Size



195x
1200mm

Finish

- **RUSTIC CARVING**
- **SPREAD SPARKLE**



Historic Wash Grey

12 - R



Historic Verde

12 - R



Historic Verde Decor

6 - R



FLOOR : Historic Wash Grey | Size - 195x1200mm | Finish - Spread Sparkle
Historic Verde Decor | Size - 195x1200mm | Finish - Rustic Carving



Size



195x
1200mm

Finish

- RUSTIC CARVING



Rockcave Graphite

12 - R



FLOOR : Rockcave Graphite | Size - 195x1200mm | Finish - Rustic Carving

Size



195x
1200mm

Finish

- RUSTIC CARVING



Belmont Pearl

12 - R



FLOOR : Belmont Pearl | Size - 195x1200mm | Finish - Rustic Carving



Saffronwood Marfil

6 - R



Saffronwood Natural

6 - R

Size



195x
1200mm

Finish

- EFFECTED MATT



WALL : Saffronwood Natural | Size - 195x1200mm | Finish - Effected Matt

FLOOR : Saffronwood Natural | Size - 195x1200mm | Finish - Effected Matt

Size



195x
1200mm

Finish

- RELIEF MATT



Bosco Ochre

15 - R



Bosco Verde

15 - R



FLOOR : Bosco Ochre | Size - 195x1200mm | Finish - Relief Matt



Size



195x
1200mm

Finish

- RELIEF MATT



Monte Natural

6 - R



Monte Moka

6 - R



FLOOR : Monte Natural | Size - 195x1200mm | Finish - Relief Matt

Size



195x
1200mm

Finish

- RELIEF MATT



Pictart Crema

9 - R



Pictart Camel

9 - R



Pictart Choco

9 - R



FLOOR : Pictart Choco | Size - 195x1200mm | Finish - Relief Matt



Impasta Azure

12 - R

Size



195x
1200mm

Finish

- RELIEF MATT



FLOOR : Impasta Azure | Size - 195x1200mm | Finish - Relief Matt

Size



195x
1200mm

Finish

- RUSTIC MATT



Pinewood Crema

9 - R



Pinewood Ochre

9 - R



FLOOR : Pinewood Ochre | Size - 195x1200mm | Finish - Rustic Matt



Size



195x
1200mm

Finish

- RUSTIC MATT



Venerer Camel

9 - R



Venerer Marron

9 - R



WALL : Venerer Camel | Size - 195x1200mm | Finish - Rustic Matt

FLOOR : Venerer Camel | Size - 195x1200mm | Finish - Rustic Matt

Colortile Quality Standards

Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group BIa ($E_b \leq 0.5\%$)

Technical Feature	Test Method	Requirements		Colortile Values	
		%	mm	%	mm

A. Dimensions and Surface Quality

Technical Feature	Test Method	%	mm	%	mm
Length and Width	UNI EN ISO 10545-2	± 0.6%	± 2.0	± 0.20%	± 1.0
Thickness		± 5.0%	± 0.5	± 5.00%	± 0.5
Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0
Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2
Surface Flatness		± 0.5%	± 2.0	± 0.20%	± 1.0
a) Centre curvature		± 0.5%	± 2.0	± 0.20%	± 1.0
b) Edge curvature	± 0.5%	± 2.0	± 0.20%	± 1.0	
c) Warpage	± 0.5%	± 2.0	± 0.20%	± 1.0	
Surface Quality	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.			Compliant	

B. Physical Properties

Technical Feature	Test Method	Requirements	Colortile Values
Water Absorption	UNI EN ISO 10545-3	$E_b \leq 0.5\%$ Individual maximum : 0.6% (absorbed water mass)	$E_b \leq 0.1\%$ (absorbed water mass)
Breaking Strength	UNI EN ISO 10545-4	Min. 1300 N	≥ 1700 N
Modulus of Rupture		Average minimum 35 N/mm ² Individual minimum 32 N/mm ²	≥ 37 N/mm ²
Frost Resistance	UNI EN ISO 10545-12	Required	Compliant
Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°C	UNI EN ISO 10545-8	Required	$6 \times 10^{-6} \text{ K}^{-1} \text{ max}$
Scratch Hardness (Mohs scale)	EN 101	Declared by the producer	3 to 6 Depends on Finish & Color
Crazing Resistance	UNI EN ISO 10545-11	Declared by the producer	4 Cycle Pass

C. Chemical Properties

Technical Feature	Test Method	Requirements	Colortile Values
Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3	5
Resistance to Household Chemicals and Swimming Pool Salts	UNI EN ISO 10545-13	Minimum GB	GA
Resistance to Low Concentrations of Acids and Alkalis		To be reported	GLA
Resistance to High Concentrations of Acids and Alkalis		To be reported	GHA

Note: Colours shown are as accurate as the limitations of the printing results on paper are possible. Prospective customers are advised to inspect a sample of the tile before placing the order. Every effort has been taken to ensure the accuracy of the information given. However, the company reserves its right to change/alter the specifications without any prior notice. Sometime shade variation or size variation may occur, as this is inherent property of ceramic tile industry. Before fixing the tiles, all are advised to follow the laying instructions printed on the corrugated box of the tile. Company does not take/carry any responsibility of what so ever nature, once tiles are laid.

Packing Details

Size	Thickness	pcs / Box	m ² / Box	kg / Box
195x1200mm	9.0mm (Approx.)	6 pcs	1.40 Sq.mtr	26.70 kg (Approx.)

colortile
ceramics & innovation

colortile
ceramics & innovation

Color Granito Pvt. Ltd.

At. Ratavirda Village,
Sartanpar Road, Tal. Wankaner - 363 621,
Dist. Morbi, Gujarat, INDIA

Cell: +91 95120 08815

info@colortile.in | www.colortile.in

