

### 600x600mm GLAZED VITRIFIED TILES





# when,

Ceramic blends with innovation, innovation in ceramic happens.

We have specialisation in manufacturing high-quality VITRIFIED and WALL TILES for every possible Architectural, Residential and Commercial use.

Colortile is one of the leading manufacturers of Glazed Vitrified Tiles and Ceramic Body Tiles in India. For over a decade now, Colortile has been innovating and manufacturing Floor and Wall Tiles with an aim to excel in the tile field and also to satisfy its ever-increasing client base.

We have installed a production capacity of over 22 million square meters per annum, spread over 3 manufacturing units at Morbi, Gujarat, India. Our factories are well-equipped with state-of-the-art technology and modernised laboratories to keep us ahead of the curve.

### Mission

We manufacture wall and floor tiles that rank high on quality and aesthetic value irrespective of the place where they are applied. We are the first choice of residential, commercial and public buildings for indoor and outdoor applications. We forge a long-term partnership with all our clients by providing them excellent service. We keep our ears close to the ground to satisfy the needs of an evolving market.

### Vision


Always putting the bar high and the dream to achieve them with all the dynamism in designs, we have invested in the latest technology to make COLORTILE a top-notch brand in the tile world. We, at COLORTILE family promise ourselves to grow, innovate and maintain the quality forever.

## Inspiration



An exploration of designs that resonates with beauty and elegance derived from the Alps of imagination.

## Innovation



### Inspired from the beauty and natural stone around the world.

The Indian consumer is becoming more and more design & decor conscious by the day. A home is no more a necessity but it is a reflection of one's status, personality & taste. Therefore, the demand for premium quality vitrified tiles with beautiful designs and perfect craftsmanship has increased by leaps & bounds. COLORTILE presents a unique collection

of Glazed Vitrified Tiles to fulfill the ever-expanding needs and expectations of the Indian consumer. COLORTILE range of Glazed Vitrified Tiles in an extensive array of exclusive designs in the 600x600mm sizes available through a wide distribution network.

## 



Wall



Floor



Recommended

### Application areas



Residential



Commercial Building



Hotel, Café & Restaurant



Gymnasium



Hall & Corridor



Super Market & Mall



Hospital



Airport



School & College



Industry



Spa & Wellness Centres



Religious Place

### Technical specification



Long Durability



Easy to Clean



Impact Resistance



Frost Resistance



Low Water Absorption



Dimensional Stability



Hygienic Surface



Fire Resistance



Chemical Resistance



Easy Installation



Thermal Shock Resistance



Crazing Resistance

### Table of Content






### GLAZED VITRIFIED TILES

#### 600x600mm

When different number of textures, designs, feels, colors come together to replicate nature it becomes non other than the 600x600mm Colortile Glazed Vitrified Tiles collection.









FLOOR: Oceanic Crema | Size - 600x600mm | Finish - Rustic Matt & Glossy





- GLOSSY





FLOOR: Tepic Crema | Size - 600x600mm | Finish - Glossy





- GLOSSY





FLOOR: Olbia Beige | Size - 600x600mm | Finish - Glossy





Statuario Mercury



6 - R



WALL : Statuario Vogue | Size - 600x600mm | Finish - Glossy

FLOOR: Statuario Vogue | Size - 600x600mm | Finish - Glossy





- GLOSSY





Iceland

10 - R







FLOOR: Iceland | Size - 600x600mm | Finish - Glossy



Size 600x600mm Finish - GLOSSY



Grorious Beige

6 - R








WALL : Grorious Beige | Size - 600x600mm | Finish - Glossy

FLOOR: Grorious Beige | Size - 600x600mm | Finish - Glossy









WALL: Castano Honey | Size - 600x600mm | Finish - Glossy

FLOOR: Castano Gris | Size - 600x600mm | Finish - Glossy





Elite Gris

1 - R




Elite Bianco

1 - R

Elite Nero


1 - R



WALL : Elite Crema & Taupe | Size - 600x600mm | Finish - Rustic Matt

FLOOR: Elite Taupe | Size - 600x600mm | Finish - Rustic Matt











WALL : Desert Nero | Size - 600x600mm | Finish - Rustic Matt

FLOOR: Desert Crema | Size - 600x600mm | Finish - Rustic Matt









FLOOR: Imperia Choco | Size - 600x600mm | Finish - Rustic Matt



Size 600x600mm

Finish

- RUSTIC MATT



Travertino Crema







FLOOR: Travertino Crema | Size - 600x600mm | Finish - Rustic Matt



Sizes		
600x1200mm		
600x600mm		
	Parker Crema	6 - F

- RELIEF MATT







FLOOR: Parker Crema | Size - 600x600mm | Finish - Relief Matt



Sizes		
600x1200mm		
600x600mm		
	Parker Taupe	6 - 1
Finish		

- RELIEF MATT







FLOOR: Parker Taupe | Size - 600x600mm | Finish - Relief Matt



Sizes		
600x1200mm		
600x600mm		
	Parker Bianco	6 - 1
-· · ·		

- RELIEF MATT





FLOOR: Parker Bianco | Size - 600x600mm | Finish - Relief Matt




Sizes		
600x1200mm		
600x600mm		
	Parker Gris	6 -

Finish

- RELIEF MATT








WALL : Parker Gris | Size - 600x600mm | Finish - Relief Matt

FLOOR: Parker Gris | Size - 600x600mm | Finish - Relief Matt






Finish

- RELIEF MATT





FLOOR: Parker Nero | Size - 600x600mm | Finish - Relief Matt





Finish

- RUSTIC MATT







Grenier Gris

3 - R



Grenier Walnut





FLOOR: Grenier Gris | Size - 600x600mm | Finish - Rustic Matt







# Finish

- RUSTIC MATT



Oakland Crema

4 - R



Oakland Ochre





FLOOR: Oakland Ochre | Size - 600x600mm | Finish - Rustic Matt



600x600mm

Finish

- RUSTIC MATT



Nova Walnut





FLOOR: Nova Walnut | Size - 600x600mm | Finish - Rustic Matt



600x600mm

Finish

- RUSTIC MATT



Tixo Camel







FLOOR: Tixo Camel | Size - 600x600mm | Finish - Rustic Matt





600x600mm

Finish

- RUSTIC MATT



Captive Ochre







FLOOR: Captive Ochre | Size - 600x600mm | Finish - Rustic Matt






600x600mm

Finish

- RUSTIC MATT



Captive Camel







FLOOR: Captive Camel | Size - 600x600mm | Finish - Rustic Matt



600x600mm

Finish

- RUSTIC MATT



Royalex Brown






FLOOR: Royalex Brown | Size - 600x600mm | Finish - Rustic Matt







4 - R

Rare Sunset Cloud Decor











# Finish

- METALLIC



Rare Antique Brass

4 - R



Rare Antique Brass Decor







WALL: Rare Antique Brass & Decor | Size - 600x600mm | Finish - Metallic

FLOOR: Rare Antique Brass | Size - 600x600mm | Finish - Metallic





600x600mm

Finish

- METALLIC




Rare Nimbus Shower

4 - R



Rare Nimbus Shower Decor





FLOOR: Rare Nimbus Shower & Decor | Size - 600x600mm | Finish - Metallic









4 - R



Rare Steel Blue Decor





WALL: Rare Steel Blue & Decor | Size - 600x600mm | Finish - Metallic





Finish

- METALLIC



Rare Greek Vase

4 - R



Rare Greek Vase Decor





WALL: Rare Greek Vase & Decor | Size - 600x600mm | Finish - Metallic



Colortile Quality Standards
Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles. Group Bla (Eb ≤ 0.5%)

Tochnical Footburg		Test	Requirements		Colortile Values		
	Technical Feature	Method	%	mm	%	mm	
	Length and Width		± 0.6%	± 2.0	± 0.20%	± 1.0	
ality	Thickness		± 5.0%	± 0.5	± 4.00%	± 0.4	
e Qu	Straightness of Sides		± 0.5%	± 1.5	± 0.20%	± 1.0	
ırfac	Rectangularity		± 0.5%	± 2.0	± 0.20%	± 1.2	
Dimensions and Surface Quality	Surface Flatness a) Centre curvature b) Edge curvature c) Warpage	UNI EN ISO 10545-2		± 2.0 ± 2.0 ± 2.0	± 0.10% ± 0.10% ± 0.10%	± 0.5 ± 0.5 ± 0.5	
	Surface Quality			that would impair the major area of tiles.	Com	oliant	
	Water Absorption	UNI EN ISO 10545-3	Eb≤ 0.5% Individual maximum : 0.6% (absorbed water mass)		E <sub>b</sub> ≤ 0.1% (absorbed water mass)		
ω.	Breaking Strength	UNI EN	Min. 1300 N		≥ 1700 N		
Physical Properties	Modulus of Rupture	ISO 10545-4	Average minimum 35 N/mm² Individual minimum 32 N/mm²		≥ 37 N/mm²		
al Pro	Frost Resistance	UNI EN ISO 10545-12	Requ	Required		Compliant	
Physic	Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°c	UNI EN ISO 10545-8	Required		6 x 10 <sup>-6</sup> K <sup>-1</sup> max		
	Scratch Hardness (Mohs scale)	EN 101	Declared by	the producer	3 to 6 Depends on Finish & Color		
	Crazing Resistance	UNI EN ISO 10545-11	Declared by the producer		4 Cycle Pass		
v	Resistance to Staining	UNI EN ISO 10545-14	Minimum Class 3		5		
Chemical Properties	Resistance to Household Chemicals and Swimming Pool Salts		Minimum GB		GA		
mical Pr	Resistance to Low Concentrations of Acids and Alkalis	UNI EN ISO 10545-13	To be reported		GLA		
Che	Resistance to High Concentrations of Acids and Alkalis		To be reported		GHA		

Note: Colours shown are as accurate as the limitations of the printing results on paper are possible. Prospective customers are advised to inspect a sample of the tile before placing the order. Every effort has been taken to ensure the accuracy of the information given. However, the company reserves its right to change/alter the specifications without any prior notice. Sometime shade variation or size variation may occur, as this is inherent property of ceramic tile industry. Before fixing the tiles, all are advised to follow the laying instructions printed on the corrugated box of the tile. Company does not take/carry any responsibility of what so ever nature, once tiles

# Standard Pallet Packing

Pallet Type	e Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)	Box / Pallet	m² / Pallet	Pallet Size
А	600x600mm	8.8mm	4 pcs	1.44 Sq. Mtr.	28.5 kg	40	57.60 Sq. Mtr.	925x1100mm

# Euro Pallet Packing

Pallet Type	Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)	Box / Pallet	m² / Pallet	Pallet Size
А	600x600mm	8.8mm	4 pcs	1.44 Sq. Mtr.	28.5 kg	36	51.84 Sq. Mtr.	800x1200mm

# Packing Details

Size	Thickness (Approx.)	pcs / Box	m² / Box	kg / Box (Approx.)
600x600mm	8.8mm	4 pcs	1.44 Sq. Mtr.	28.50 kg



### Color Granito Pvt. Ltd.

At. Ratavirda Village, Sartanpar Road, Tal. Wankaner - 363 621, Dist. Morbi, Gujarat, INDIA

Cell: +91 95120 08815

info@colortile.in | www.colortile.in